

EXIT E-EX6 SMALL



Product Name: EXIT E-EX6 SMALL

Project Code: E-EX6 S

- **OSA Lighting Techniques** offers indoor lighting applications with different solutions in color and size in local production
- ***Single / Double Face Surface Mounted and Recessed Emergency Exit Luminaire***
 - Visibility range 24 meters
 - Edge-lit system
 - Aluminum extrusion body
 - Ral 9016 and chrome coating option
 - 5mm non-flammable acrylic plexiglass
 - Continuous, emergency or combined operation
 - 1 or 3 hours of light in case of emergency
 - Charging indicator with green LED
 - Test button
 - Mounting on surface wall from the back, directly to the ceiling, with chain, steel wire or rod
 - High temperature resistant Nickel Cadmium battery
 - High efficiency 18 LED system
 - Easy assembly with all accessories
 - Standard forms screen printed or self-adhesive opal labels
 - Optional 110 VAC compatible production
 - Production in accordance with EN 60598 - 2-22, EN 61347-2-7, EN 61347-2-13, EN 62384 and CE norms

EXIT E-EX6 SMALL



Light Source: Mid Power LED

Operating Temperature: -20 to 4

Color: Electrostatic RAL

Special Design: Available

Features: Max. eye-sight is 24m

Warranty: 2 years

Diffuser: Glass or Acrylic

Battery: Ni-Cd, resistant to high temperatures

Product Type:

- 01

Dimensions (mm):

- W:238
- L:254
- H:50

EXIT E-EX6 SMALL

